## **EAST Search History**

## EAST Search History (Prior Art)

| Ref# | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|------|------|--|---|---------------------|---------|---------------------|
| L1   | 66   | (receive OR transmit) near4<br>(chain) same (loopback OR<br>loop back)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2010/11/25<br>17:21 |
| L2   | 3070 | ((receive same transmit) OR<br>transcieve\$4) same (self test<br>\$4 OR loopback OR loop<br>back)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2010/11/25<br>17:21 |
| L3   | 14   | L2 same (JTAG OR "1149"<br>OR (IEEE near4 "1500") OR<br>standard for embedded core<br>test OR JTAG OR joint test<br>action group)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | OZ      | 2010/11/25<br>17:21 |
| L4   | 151  | L2 and (JTAG OR "1149" OR<br>(IEEE near4 "1500") OR<br>standard for embedded core<br>test OR JTAG OR joint test<br>action group)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2010/11/25<br>17:21 |
| L5   | 65   | ((receive same transmit) OR<br>transcieve\$4) same (self top<br>\$4 OR loopback OR loop<br>back) same (filter OR IF OR<br>IF OR baseband OR modulat<br>\$4) same (DSP OR FPGA OR<br>chain OR module) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2010/11/25<br>17:21 |
| L6   | 17   | (test\$4) same (transceiver)<br>same (block OR FPGA OR<br>DSP) same multiplex  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2010/11/25<br>17:21 |
| L7   | 17   | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (block<br>OR FPGA OR DSP) same<br>multiplex   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2010/11/25<br>17:21 |

| L8  | 58    | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (probe<br>OR probing) same (filter OR<br>IF OR RF OR baseband)                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | <b>N</b> | 2010/11/25<br>17:21 |
|-----|-------|--|---|-----|----------|---------------------|
| L9  | 29    | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (filter<br>OR IF OR RF OR baseband)<br>and (software radio)                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON       | 2010/11/25<br>17:21 |
| L10 | 11664 | (UTAG OR (IEEE near4<br>"1149") OR (IEEE near4<br>"1500") OR standard for<br>embedded core test OR<br>JTAG OR joint test action<br>group)                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON       | 2010/11/25<br>17:21 |
| L11 | 56    | L10 and (receiver OR<br>transmitter) same (probe<br>OR probing OR test) same<br>chain  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | NON      | 2010/11/25<br>17:21 |
| L12 | 24    | L10 and (receiver CR<br>transmitter) same (probe<br>CR probing OR test) same<br>(chain CR stream OR flow)<br>same (IF OR RF OR<br>baseband OR filter OR<br>modulat\$4) | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON       | 2010/11/25<br>17:21 |
| L13 | 142   | L10 and (receiver OR<br>transmitter) same (chain OR<br>stream OR flow) same (IF<br>OR RF OR baseband OR<br>filter OR modulat\$4)                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON       | 2010/11/25<br>17:21 |
| L14 | 155   | EEE near3 *1500*   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON       | 2010/11/25<br>17:21 |
| L15 | 33    | L14 and (DSP OR IF OR RF<br>OR modulate OR baseband)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | ADJ | ON       | 2010/11/25<br>17:21 |

| L16        | 686  | L1 or L3 or L4 or L5 or L6 or<br>L7 or L8 or L9 or L11 or L12<br>or L13 or L14 or L15  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | 0N  | 2010/11/25<br>17:21 |
|------------|------|--|---|-----|-----|---------------------|
| L17        | 8    | L16 and @pd>="20101025"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2010/11/25<br>17:22 |
| S1         | 64   | (receive OR transmit) near4<br>(chain) same (loopback OR<br>loop back)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2010/05/11<br>13:28 |
| S3         | 102  | (receive OR transmit) near4<br>(chain) same ((loopback OR<br>loop\$3 back) OR (self near4<br>test\$4))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | NON | 2010/05/11<br>13:28 |
| S4         | 2927 | ((receive same transmit) OR<br>transcieve\$4) same (self test<br>\$4 OR loopback OR loop<br>back)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2010/05/11<br>13:35 |
| <b>S</b> 5 | 11   | S4 same (JTAG OR "1149"<br>OR (IEEE near4 "1500") OR<br>standard for embedded core<br>test OR JTAG OR joint test<br>action group)                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2010/05/11<br>13:37 |
| S6         | 143  | (IEEE near4 "1500") OR   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2010/05/11<br>13:37 |
| S7         | 443  | ((receive same transmit) OR<br>transcieve\$4) same (self test<br>\$4 OR loopback OR loop<br>back) same (filter OR IF OR<br>RF OR baseband OR modulat<br>\$4) | USOCR; FPRS;<br>EPO; JPO;   | ADJ | ON  | 2010/05/11<br>13:41 |

| S8  | 60   | transcieve\$4) same (self test<br>\$4 OR loopback OR loop<br>back) same (filter OR IF OR<br>RF OR baseband OR modulat                                | USOCR; FPRS;<br>EPO; JPO;   | ADJ | ON | 2010/05/11<br>13:42 |
|-----|------|--|---|-----|----|---------------------|
| S10 | 1427 | (test\$4) same (transceiver)<br>same (block OR FPGA OR<br>DSP)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>13:56 |
| S11 | 17   | (test\$4) same (transceiver)<br>same (block OR FPGA OR<br>DSP) same multiplex  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>13:57 |
| S12 | 17   | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (block<br>OR FPGA OR DSP) same<br>multiplex                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>13:58 |
| S13 | 307  | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (block<br>OR FPGA OR DSP) same<br>(filter OR IF OR RF OR<br>baseband) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>13:59 |
| S14 | 136  | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (prob<br>\$4) same (filter OR IF OR<br>RF OR baseband)                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:04 |
| S15 | 51   | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (probe<br>OR probing) same (filter OR<br>IF OR RF OR baseband)        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:04 |
| S16 | 20   | (test\$4) same (transceiver<br>OR ((transmit OR recieve)<br>near2 chain)) same (filter<br>OR IF OR RF OR baseband)<br>and (software radio)           | US PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:07 |

| S17 | 10867 | (JTAG OR (IEEE near4 "1149") OR (IEEE near4 "1500") OR standard for embedded core test OR JTAG OR joint test action group)                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:15 |
|-----|-------|--|---|-----|----|---------------------|
| S18 | 731   | S17 and (receiver OR<br>transmitter) same (probe<br>OR probing OR test)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:16 |
| S19 | 48    | S17 and (receiver OR<br>transmitter) same (probe<br>OR probing OR test) same<br>chain  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:16 |
| S20 | 231   | S17 and (receiver OR<br>transmitter) same (probe<br>OR probing OR test) same<br>(chain OR stream OR flow)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:16 |
| S21 | 15    | S17 and (receiver OR transmitter) same (probe OR probing OR test) same (chain OR stream OR flow) same (IF OR RF OR baseband OR filter OR modulat\$4) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11          |
| S22 | 121   | S17 and (receiver OR<br>transmitter) same (chain OR<br>stream OR flow) same (IF<br>OR RF OR baseband OR<br>filter OR modulat\$4)                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:21 |
| S23 | 132   | IEEE near3 *1500*  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:23 |
| S24 | 27    | S23 and (DSP OR IF OR RF<br>OR modulate OR baseband)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2010/05/11<br>14:23 |

## 11/25/2010 5:24:21 PM

C:\ Documents and Settings\ ccrutchfield\ My Documents\ EAST\ Searches\ 10589922 - II.wsp